

L Number	Hits	Search Text	DB	Time stamp
-	1380	((reloca\$3) with (data or "private data")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 08:30
-	1056	((reloca\$3) with (data or "private data") ) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 08:29
-	106	((reloca\$3) with (data or "private data") same automati\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 09:24
-	73	((reloca\$3) with (data or "private data") same automati\$5) ) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 08:31
-	119	((reloca\$3 or tranfe\$4) with (data or "private data") same automati\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 09:25
-	84	((reloca\$3 or tranfe\$4) with (data or "private data") same automati\$5) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 10:40
-	2	("5627877").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:22
-	5	penttonen and relocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 15:32
-	8	((("4790003") or ("5177780") or ("5257399") or ("5278897"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 08:54
-	5193	((709/205) or (709/217) or (709/232) or (709/238) or (709/239) or (709/244) or (709/319)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 08:56
-	2351	((((709/205) or (709/217) or (709/232) or (709/238) or (709/239) or (709/244) or (709/319)).CCLS.) and (relocat\$3 or transfer\$4 or mov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:21
-	856	((((709/205) or (709/217) or (709/232) or (709/238) or (709/239) or (709/244) or (709/319)).CCLS.) and ((relocat\$3 or transfer\$4 or mov\$3) with (data or subscribe\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 08:59
-	208	(((((709/205) or (709/217) or (709/232) or (709/238) or (709/239) or (709/244) or (709/319)).CCLS.) and ((relocat\$3 or transfer\$4 or mov\$3) with (data or subscribe\$3))) and subscribe\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:49
-	127	(((((709/205) or (709/217) or (709/232) or (709/238) or (709/239) or (709/244) or (709/319)).CCLS.) and ((relocat\$3 or transfer\$4 or mov\$3) with (data or subscribe\$3))) and subscribe\$2) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:01

-	422	((relocat\$3 or tranfer\$4 or mov\$3).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:35
-	286	((relocat\$3 or tranfer\$4 or mov\$3).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:36
-	364	((relocat\$3 or tranfer\$4 or move or moving).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:42
-	246	((relocat\$3 or tranfer\$4 or move or moving).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:23
-	12	((relocat\$3 or tranfer\$4).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:52
-	8	((relocat\$3 or tranfer\$4).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) same serve\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:52
-	49	((relocat\$3 or tranfer\$4).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) and serve\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:41
-	31	((relocat\$3 or tranfer\$4).ti. and (((relocat\$3 or tranfer\$4 or mov\$3) with (data or subscribe\$2)) and serve\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:42
-	25	((relocat\$3 or tranfer\$4).ti. and ((relocat\$3 or tranfer\$4 or mov\$3) same (server or servers)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:41
-	14	((relocat\$3 or tranfer\$4).ti. and ((relocat\$3 or tranfer\$4 or mov\$3) same (server or servers))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:39
-	257	5353331.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 13:56
-	252	5353331.uref. and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:12
-	13	( 5353331.uref. and @ad<20001220) and ((profile with roaming) or (relocat\$3 with data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:12
-	73	( 5353331.uref. and @ad<20001220) and (server or servers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:43

-	2	("5353331").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:44
-	1002	((455/414) or (455/414.2) or (455/433) or (455/461)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:45
-	49	((((455/414) or (455/414.2) or (455/433) or (455/461)).CCLS.) and ((profile with roaming) or (relocat\$3 with (data or subscribe\$2 or information or use\$2)) same (server or servers)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 15:55
-	41	((((455/414) or (455/414.2) or (455/433) or (455/461)).CCLS.) and ((profile with roaming) or (relocat\$3 with (data or subscribe\$2 or information or use\$2)) same (server or servers))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 14:50
-	2	("5909483").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:02
-	11	5909483.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:12
-	16	5627877.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 16:13
-	16	5627877.uref. and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:06
-	464	vlr and hlr and (server or servers) and (relocat\$3 or transfer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:08
-	331	vlr and hlr and (server or servers) and ((relocat\$3 or transfer\$3) with (data or subscribe\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 08:10
-	148	vlr and hlr and (server or servers) and ((relocat\$3 or transfer\$3) with (data or subscribe\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:47
-	0	((relocat\$3 with (data or subscribe\$2)) same (manual with contol)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:49
-	1	((relocat\$3 with (data or subscribe\$2)) same (manual with control)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:50
-	37	(relocat\$3 with (data or subscribe\$2)) same manual\$2 and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:01

-	19902225	(relocat\$3 with (data or subscribe\$2)) and (load with balanc\$3) @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:02
-	19902194	(relocat\$3 with (data or subscribe\$2)) same (load with balanc\$3) @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:03
-	117008	((relocat\$3 with (data or subscribe\$2)) same (load with balanc\$3) @ad<20001220) and (server or servers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:04
-	417	(relocat\$3 or tranfer\$4 or mov\$3) with subscribe\$2 with data and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:25
-	63	(relocat\$3 or tranfer\$4 or mov\$3) with subscribe\$2 with data same (server or servers) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:23
-	987	(distributed with information with syste\$2) same (information with (server or servers)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:31
-	2	((distributed with information with syste\$2) same (information with (server or servers)) and @ad<20001220) and (relocat\$3 with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:29
-	337	((distributed with information with syste\$2) same (information with (server or servers)) and @ad<20001220) and ((relocat\$3 or transfer\$4 or mov\$3)with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 16:31
-	29	(distributed with information with syste\$2) same (information with (server or servers)) same ((relocat\$3 or transfer\$4 or mov\$3)with data) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:12
-	1007	(server or servers) with acces\$4 with subscribe\$2 and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:14
-	46	(server or servers) with acces\$4 with subscribe\$2 with distribut\$3 and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:02
-	204	((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj serve\$2 and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:36
-	181	(((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj serve\$2 and @ad<20001220) and distribut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 13:34
-	35	(((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj serve\$2 and @ad<20001220) and distribut\$3) and subscribe\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 15:06

-	7	((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj serve\$2 and @ad<20001220) and distribut\$3 and (relocat\$3 with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 13:39
-	12	((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj serve\$2 and @ad<20001220) and distribut\$3 and relocat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 13:39
-	3719	((709/105) or (709/226) or (709/223)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:49
-	228	((((709/105) or (709/226) or (709/223)).CCLS.) and (central or master or primary or management) adj (serve\$2 or proxy or cache) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:50
-	3	((((709/105) or (709/226) or (709/223)).CCLS.) and (((central or master or primary or management) adj (serve\$2 or proxy or cache)) same ("close" or "near" or "proximate"))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:53
-	147	((((central or master or primary or management) adj (serve\$2 or proxy or cache)) same ("close" or "near" or "proximate"))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 08:21
-	4	((((central or master or primary or management) adj (serve\$2 or proxy or cache)) same ("close" or "near" or "proximate") same efficient) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 14:57
-	0	((((central or master or primary or management) adj (serve\$2 or proxy or cache)) same ("close" or "near" or "proximate"))) and @ad<20001220 and vlr and hlr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 08:22
-	29	((((central or master or primary or management) adj (serve\$2 or proxy or cache))) and @ad<20001220 and vlr and hlr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 08:24
-	28	((((central or master or primary or management) adj (serve\$2 or proxy or cache))) and @ad<20001220 and vlr and hlr) and (transfe\$4 or mov\$3 or reloca\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 08:25

L Number	Hits	Search Text	DB	Time stamp
1	32	((log or activity) same loca\$4 same (data or information or id or identif\$4) same ((pattern near2 analy\$3) or relocat\$3 or migrat\$3 or mov\$3) same (service or qos) same (better or efficient\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:05
2	11	((log or activity) same loca\$4 same (data or information or id or identif\$4) same ((pattern near2 analy\$3) or relocat\$3 or migrat\$3 or mov\$3) same (service or qos) same (better or efficient\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:05
3	418	((log or activity) same loca\$4 same (data or information or id or identif\$4) same ((pattern near2 analy\$3) or relocat\$3 or migrat\$3 or mov\$3) same (service or qos or better or efficient\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:07
5	2	((log or activity) same loca\$4 same (data or information or id or identif\$4) same (pattern near2 analy\$3) same (relocat\$3 or migrat\$3 or mov\$3) same (service or qos or better or efficient\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:08
6	0	((log or activity) same loca\$4 same (data or information or id or identif\$4) same (pattern near2 analy\$3) same (relocat\$3 or migrat\$3 or mov\$3) same (service or qos or better or efficient\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:08
4	175	((log or activity) same loca\$4 same (data or information or id or identif\$4) same ((pattern near2 analy\$3) or relocat\$3 or migrat\$3 or mov\$3) same (service or qos or better or efficient\$2)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 09:09
-	5484551	((central with server) or gateway or proxy or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:46
-	89117	((central with server) or gateway or proxy or system) and subscriber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:23
-	10628	((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:23
-	616	((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) and (pattern with analy\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:28
-	547	((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with (log or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:24
-	508	((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with (log or data)) and automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 13:59
-	140	((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) and ((pattern with analy\$3) same automatic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:00

-	38	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) and ((pattern with analy\$3) same automatic\$4)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:33
-	6897	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data and (id or identif\$7)))) same (pattern with analy\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:25
-	17	(((((central with server) or gateway or proxy or system) and subscriber) and ((log or (location with (data and (id or identif\$7)))) same (pattern with analy\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:26
-	3	(((((central with server) or gateway or proxy or system) and subscriber) and ((log or (location with (data and (id or identif\$7)))) same (pattern with analy\$3))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:27
-	8752	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data with (id or identif\$7))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:31
-	504	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:32
-	449	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with (log or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 14:32
-	219	(((((central with server) or gateway or proxy or system) and subscriber) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with (log or data))) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:31
-	569270	((central with server) or gateway or proxy or system) and (communication with (system or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:24
-	41606	(((((central with server) or gateway or proxy or system) and (communication with (system or device))) and (log or (location with (data with (id or identif\$7))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:27
-	2108	(((((central with server) or gateway or proxy or system) and (communication with (system or device))) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:29
-	290	(((((central with server) or gateway or proxy or system) and (communication with (system or device))) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:14

-	152	(((((central with server) or gateway or proxy or system) and (communication with (system or device))) and (log or (location with (data with (id or identif\$7)))))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with log)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:44
-	1582	((generat\$3 or creat\$3) with (log or file) with location with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:44
-	135	((generat\$3 or creat\$3) with (log or file) with location with data) and subscriber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/19 15:44
-	54	((generat\$3 or creat\$3) with (log or file) with location with data) and subscriber) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:24
-	3	(((((central with server) or gateway or proxy or system) and (vlr or hlr)) and (log or (location with (data with (id or identif\$7)))))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:15
-	1	(((((central with server) or gateway or proxy or system) and (vlr or hlr)) and (log or (location with (data with (id or identif\$7)))))) and (pattern with analy\$3)) and ((transfer\$3 or relocat\$3 or migrat\$3 or move\$2 or send\$3 or sent) with log)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:21
-	5740	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:21
-	5691	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.) and ((central with server) or gateway or proxy or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:22
-	972	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.) and ((central with server) or gateway or proxy or system)) and subscriber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:23
-	400	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.) and ((central with server) or gateway or proxy or system)) and subscriber) and (log or (location with (data with (id or identif\$7))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:23
-	27	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.) and ((central with server) or gateway or proxy or system)) and subscriber) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 08:24
-	18	((709/105) or (709/223) or (709/226) or (709/217)).CCLS.) and ((central with server) or gateway or proxy or system)) and subscriber) and (log or (location with (data with (id or identif\$7)))) and (pattern with analy\$3)) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:42
-	42	(pattern near2 analy\$3) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:06



-	16	((pattern near2 analy\$3) with server) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:56
-	489	((locat\$3 near3 subscriber) with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:04
-	5	((locat\$3 near3 subscriber) with server)) same log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:14
-	3	((locat\$3 near3 subscriber) with server)) same log) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:00
-	1	(pattern near2 analy\$3) with hlr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:00
-	3	((locat\$3 near3 subscriber) with server)) same log) and @ad<20001220) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:05
-	1	((pattern near2 analy\$3) with hlr) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:01
-	889	((locat\$3 near3 subscriber) with hlr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:11
-	4	((locat\$3 near3 subscriber) with hlr)) same log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:16
-	1	((locat\$3 near3 subscriber) with hlr)) same log) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:07
-	74	(pattern near2 analy\$3) with central	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:07
-	59	((pattern near2 analy\$3) with central) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:12
-	1168	((locat\$3 near3 subscriber) with central)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:12
-	7	((locat\$3 near3 subscriber) with central)) same log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:19

-	5	((((locat\$3 near3 subscriber) with central)) same log) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:14
-	2	((((locat\$3 near3 subscriber) with server)) same relocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:14
-	2	((((locat\$3 near3 subscriber) with server)) same relocate) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:16
-	3	((((locat\$3 near3 subscriber) with hlr)) same relocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:16
-	3	((((locat\$3 near3 subscriber) with hlr)) same relocate) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:20
-	1	((((locat\$3 near3 subscriber) with central)) same relocate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:20
-	1	((((locat\$3 near3 subscriber) with central)) same relocate) and @ad<20001220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 08:54